


ITEM	QTY -041	P/N	DESCRIPTION
	X	D4773-041	WEARPLATE ASSY
1	1	D4682-3	WEARPLATE SHIM
2	2	D4770-1	BAR
3	1	D4773-1	WEARPLATE
4	A/R	2059B	HARDCOAT





D4773-041 WEARPLATE ASSY

UNDER REVIEW
A.P. 13.05.23
INCORRECT PN IN BOM


RELEASED
2013-03-25
MP

A	NEW ISSUE	AP	13.02.13
REV.	DESCRIPTION	BY	DATE
DESIGN	DB	DART AEROSPACE USA, INC.	
DRAWN	AP	KENT, WA	
CHECKED	MP	DRAWING NO.	REV. A
MFG. APPR.	MP	D4773	SHEET 1 OF 3
APPROVED	MP	TITLE	SCALE
DE APPR.	MP	WEARPLATE ASSY	NTS
DATE	13.02.13	COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	







SECTION D-D D4-3 8
SCALE 2X



DETAIL C B4-3
4 PL
SCALE 2X




D4773-1 WEARPLATE
(MAKE FROM D4773-1F)



D4773-1F WEARPLATE
(FLAT PATTERN)

UNDER REVIEW
A.P. 13.05.23



DETAIL B B2-3
4 PL
SCALE 2X

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL PER MIL-S-5059 OR AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK (REF DART SPEC. M304S18GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.97 lbs
 - 8) IT IS ACCEPTABLE TO OVERBEND D4773-1 UP TO 2 DEG OR UNDERBEND UP TO 5 DEG

DESIGN	DB	DART AEROSPACE USA, INC.	
DRAWN	AP	KENT, WA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4773	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		WEARPLATE ASSY	NTS
DATE	13.02.13	<small>COPYRIGHT © 2013 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

RELEASED
2013-03-25
MP